

Office: 802-540-0148 | Fax: 802-540-0147 480 HERCULES DR. COLCHESTER, VT 05446

## **Certificate of Analysis**

Company: The Dank Closet Sample ID: Harvest Lot

> Lot: SCLT0136-004 **Report Date: 2/15/2023** 1302 Lake Rd

> Newport, VT 05855 Matrix: Flower **Date Analyzed: 2/14/2023**

Customer ID: 221221-0 Date Sampled: N/A Analyst: 045

Grower License #: SCLT-0136 **Date Received: 1/27/2023** Report ID: C230127AG

## Pesticides/Mycotoxins Summary

Category II Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Abamectin	0.0100	<loq< th=""></loq<>
Acephate	0.0010	<loq< th=""></loq<>
Acequinocyl	0.0010	<loq< th=""></loq<>
Azoxystrobin	0.0010	<loq< th=""></loq<>
Bifenazate	0.0010	<loq< th=""></loq<>
Bifenthrin	0.0010	<loq< th=""></loq<>
Carbaryl	0.0010	<loq< th=""></loq<>
Cypermethrin	0.0100	<loq< th=""></loq<>
Etoxazole	0.0010	<loq< th=""></loq<>
Imidacloprid	0.0010	<loq< th=""></loq<>
Myclobutanil	0.0010	<loq< th=""></loq<>
Pyrethrin I	0.0010	<loq< th=""></loq<>
Pyrethrin II	0.0010	<loq< th=""></loq<>
Spinosyn A	0.0010	<loq< th=""></loq<>
Spinosyn D	0.0010	<loq< th=""></loq<>

Category II Mycotoxin	LOQ (ppm)	Concentration (ppm)
Ochratoxin A	0.0020	NOT TESTED
Aflatoxin B1	0.0002	NOT TESTED
Alfatoxin B2	0.0010	NOT TESTED
Alfatoxin G1	0.0002	NOT TESTED
Alfatoxin G2	0.0010	NOT TESTED

Category I Residual Pesticide	LOQ (ppm)	Concentration (ppm)
Chlorpyrifos	0.0010	<loq< th=""></loq<>
Imazalil	0.0010	<loq< th=""></loq<>



6.68%

**Percent Moisture** 

LOQ = The lowest quantity this method can reliably detect. Any pesticide or mycotoxins that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the

ppb = parts per billion

Pesticides/Mycotoxin Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by:

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.